

tara™ pure air® II bath

like the fabled Irish tower of kings that shares its name, the tara™ pure air® II bath is itself a singularly regal experience in an everyday world.



Cozy up to the Tara™ Pure Air® bath's corner configuration and linger as you massage away the cares of the day.

features:

- Exclusive 360° Balanced Airflow™ system
- 600 watt variable speed heated air blower
- Thermal Lumbar Comfort™ (TLC)
- Timed purge cycle
- Safely use salts and aromatic oils
- PrO3™ Ozone Sanitation System standard

tara™ pure air® II bath

model number: EB00 – RH

exterior dimensions:

60" long x 60" wide x 20¾" high

interior dimensions (at bottom):

45" long x 40" wide

operating gallons:

71 gallons





Tara™ Pure Air® II Bath

Model: EB00

Ordering Information

Product Code:
EB00 Tara™ Pure Air® II Bath
Right Hand

- Center Drain Location
- Accessories / Hardware:
 - Trip-Lever Drain Kit #X559
 - Rotary Trip Kit, 26" Cable: #8730
- Trim Kit Finishes Available:
 - (827) – Chrome
 - (898) – Brushed Chrome
 - (815) – Satin Nickel
 - (829) – Bright Brass
 - (805) – Platinum
 - (826) – Brushed Nickel
 - (849) – Oil Rubbed Bronze

Installation Notes

Refer to installation instructions included with fixture before beginning installation. Please confirm product availability and specifications before commencing with any installation work.

PRODUCT SPECIFICATIONS AND AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Technical Specifications

Dimensions

60" L x 60" L x 20-3/4" H
(1524 mm) L x (1524 mm) L x (527 mm) H

Drain/Overflow

A: 16" (406 mm) B: 12-3/8" (314 mm)

Cutout

See Illustration Below

Total Weight

1152 lb (523 kg) / 46.1 lb/ft² (225 kg/m²)

Operating Gallonage

71 U.S. Gal. (208 Liters)
Min. 55 U.S. Gal. (208 Liters)
Max. 87 U.S. Gal. (329 Liters)

Product Weight

130 lb (59 kg)

Skirt Mounting

Optional


Electrical Specifications

Requires a dedicated GFCI protected separate circuit.

Blower: 120 VAC, 15 AMP, 60 Hz.


Heater

No water heater is available on this unit. Blower has integral air heater.




Product Shown: Tara™ Corner Pure Air® II Bath Model: EB00


* Measurements inside unit represent cutout in floor to allow for drain/overflow. Minimum Service Access dimensions given.




SIDE VIEW



END VIEW



TARA™ CUTOUT



DRAIN/OVERFLOW

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>