

tara™ whirlpool bath and soaking bath with integral skirt



like the fabled Irish tower of kings that shares its name, the tara™ whirlpool bath is itself a singularly regal experience in an everyday world.



Cozy up to the Tara™ whirlpool bath's corner configuration and linger as you massage away the cares of the day.

features:

- 4 Fully adjustable TheraPro™ jets
- 2 Directionally adjustable AccuPro™ lumbar jets
- 1 Directionally adjustable AccuPro™ foot jet
- Exclusive Tru-Level™ base system
- Slip-resistant bottom
- Patented Silent Air™ Induction system
- Integral skirt
- Drain included on whirlpool baths

tara™ whirlpool bath with integral skirt

model number: N820 RH Pump

exterior dimensions:
60" long x 60" wide x 20¾" high

interior dimensions (at bottom):
45" long x 40" wide

of Jets/type of Jets:
4 TheraPro™ Jets,
2 AccuPro™ Lumbar Jets,
1 AccuPro™ Foot Jet

operating gallons:
74 gallons

tara™ soaking bath with integral skirt

model number: N821

exterior dimensions:
60" long x 60" wide x 20¾" high

interior dimensions:
45" long x 40" wide

Detail: The Tara™ whirlpool bath places Jacuzzi's Magic Touch® controls right in reach. Perfectly positioned AccuPro™ jets massage away cares as you recline against Tara's backrest.





Tara™ Corner Whirlpool Bath w/Integral Skirt

Model: N820

Tara™ Corner Bath with Integral Skirt

Model: N821

Ordering Information

Product Code:

N821 Tara™ Corner Bath
w/Integral Skirt

N820 Tara™ Corner Whirlpool Bath
w/Integral Skirt Right Hand

- Center Drain Location
- Accessories / Hardware:
 - Trip-Lever Drain Kit #X559
 - Rotary Drain Kit, 26" Cable #8730
 - 4 X HTC Jet Trim Kit: #D095
 - 2 X BMH Jet Trim Kit: #J869
- Trim Kit Finishes Available:
 - (827) - Chrome
 - (898) - Brushed Chrome
 - (815) - Satin Nickel
 - (829) - Bright Brass
 - (805) - Platinum
 - (826) - Brushed Nickel
 - (849) - Oil Rubbed Bronze

Installation Notes

Refer to installation instructions included with fixture before beginning installation. Please confirm product availability and specifications before commencing with any installation work.

PRODUCT SPECIFICATIONS AND AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Electrical Components and Electrical Specifications do not apply to non-jetted baths.

Technical Specifications

Dimensions

60" L x 60" L x 20-3/4" H
(1524 mm) L x (1524 mm) L x (527 mm) H

Drain/Overflow

A: 16" (406 mm) B: 12-3/8" (314 mm)

Cutout

NA

Total Weight

N820: 999 lb (453 kg) / 40 lb/sq. ft. (195 kg/m²)
N821: 957 lb (434 kg) / 38 lb/sq. ft. (187 kg/m²)

Operating Gallonage

74 U.S. Gal. (280 Liters)
87 U.S. Gal. (329 Liters)

Product Weight

N820: 133 lb (60 kg)
N821: 91 lb (41 kg)

Skirt Mounting

Integral

Electrical Specifications Model N820 only

Requires a dedicated GFCI protected separate circuit.


Motor/Pump: 120 VAC, 15 AMP, 60 Hz.

RapidHeat™: 120 VAC, 15 AMP, 60 Hz.

Heater (Optional) Model N820 only


Requires a dedicated GFCI protected separate circuit.

RapidHeat™: P/N S750000




Product Shown: Tara™ Corner Whirlpool Bath with Integral Skirt Model: N820


* Measurements inside unit represent cutout in floor to allow for drain/overflow.



FRONT VIEW



SIDE VIEW



DRAIN/OVERFLOW

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>