


# NAVITRACK® Transmitters

*RIDGID transmitters give you the versatility to quickly and accurately map underground lines, cables, and pipes!*



NaviTrack®  
Transmitter - 10 Watt

NaviTrack® Brick  
Transmitter - 5 Watt

## The Powerful NaviTrack 10 Watt Transmitter Offers:

- 10 Watts of fully variable output power.
- 6 trace frequencies.
- Convenient push-button operation.
- 8 D-Cell batteries provide more than 120 hours of operation.

## The Compact NaviTrack Brick Transmitter Offers:

- 5 Watts of fully variable output power.
- Shoulder strap and lightweight design (2.5 lbs) for increased portability.
- Convenient push-button operation.
- 6 C-Cell batteries provide more than 120 hours of operation.

*Demand the Best...*  
**RIDGID**

When you need to know the exact location, choose RIDGID Diagnostic Equipment and locate with confidence!

## Specifications

NaviTrack Transmitter – 10 Watt	Brick Transmitter – 5 Watt
Line Trace Frequencies.....128Hz, 1kHz, 8kHz, 33kHz, 200kHz, 262kHz	Line Trace Frequencies .....1kHz, 8kHz, 33kHz, 262kHz
Nominal Output Power.....10 Watts	Nominal Output Power.....5 Watts
Connection Cord Length.....25 feet	Connection Cord Length .....10 feet
Weight .....8.9 lbs (w/batteries)	Weight .....2.5 lbs (w/batteries)
Power Source .....8 D-Cell Batteries	Power Source.....6 C-Cell Batteries

## Frequency Cross Reference Chart

		LOCATORS											
		NaviTrack II						Scout					
TRANSMITTERS	NaviTrack (10 Watt)	128	1k	8k	33k	65k	200k	262k	128	1k	8k	33k	
		•							•				
			•							•			
				•								•	
					•								•
							•						
	Brick (5 Watt)	1k		•							•		
		8k			•							•	
		33k				•							•
		262k							•				



NaviTrack® II



NaviTrack Scout™



NaviTrack Brick Transmitter 5 Watt



NaviTrack Transmitter 10 Watt



In-Line Transmitter



Remote Transmitter



NaviTrack II Case



Inductive Signal Clamp

## Ordering Information

Catalog No.	Description	Shipping Weight
96967	NaviTrack® II Locator	17.1 lbs.
19238	NaviTrack Scout™ Locator	7.0 lbs.
14818	NaviTrack Transmitter - 10 Watt	10.3 lbs.
20168	NaviTrack Brick Transmitter - 5 Watt	3.0 lbs.
20503	4 Inch Induction Signal Clamp	2.5 lbs.
16728	Remote Transmitter, 512-AAA	0.6 lbs.
19258	Remote Trans. Coupling Fits 1 1/4" Sectional Cables	0.3 lbs.
19263	Remote Trans. Coupling Fits 5/8" and 3/4" Drum Cables	0.25 lbs.
19268	Remote Trans. Coupling Fits 7/8" sectional and 1/2" Drum Cables	0.25 lbs.
19273	Remote Trans. Coupling Fits 5/8" sectional and 3/8" Drum Cables	0.25 lbs.
19793	Float Sondes (2), Plus Extra Battery	0.6 lbs.
15323	SeeSnake® In-Line Transmitter	0.62 lbs.
15828	Mini SeeSnake® In-Line Transmitter	0.62 lbs.
22388	NaviTrack II Carrying Case	11.0 lbs.
20248	NaviTrack Scout Carrying Case	8.0 lbs.
12543	NaviTrack Marker Chips and Clip	0.25 lbs.

## Distributor

For the complete selection of the Ridge Tool product line, please refer to the Ridge Tool Catalog or [www.ridgid.com](http://www.ridgid.com).

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>