



ExtremeView
Direct Vent Gas Fireplaces



Extremely beautiful
Extremely smart
ExtremeView Series



33XDV shown with Hyde Manor Cabinet in Sienna Brown

The ExtremeView direct vent fireplaces are available in natural gas fuel models - propane conversion kits are optional. For the ultimate in convenient installation, all models are available in dual rear/top vent.

Vermont Castings Comfort Control System

The ExtremeView 36XDV model is available with an all-in-one valve system that includes a fan system & remote control as standard.

- Six level modulating flame & fan function from a hand held remote
- Thermostat governs flame & fan together for maximum comfort
- Operates without electricity (except for power supply to fan)
- Timer will shut off fire at a later time
- Ceramic Glass



The ExtremeView Series



36XDV shown with Sterling Cabinet in Glazed Parchment

ExtremeView. The perfect combination of elegance, sophistication, and convenience.

Vermont Castings blends drama and excitement, sophistication and comfort all together to create the pinnacle of fireplace performance and style. The glass and firebox are wider and taller than any other fireplace in its class. The fire is robust and more dramatic than ever before. The ExtremeView Series is the perfect choice for anyone looking to make a dramatic statement in the largest room of the home, or on the chilliest days of the year. Available in 33", 36" and 39" sizes. The ExtremeView can be installed anywhere you might place an ordinary direct vent gas fireplace.

Dress it up, if you like! The ExtremeView Series comes with an array of optional trims, louver accent trims and accessories.

Optional Louver Kits:

- Primary Starter Louver Accent Trim (2pc) in Polished Brass, Antique Brass, Pewter or Rustic Bronze available in all sizes 33"/36"/39" (models DVLMP, DVLMA, DVLMS & DVLMR)
- Additional Louver Accent Trim (2pc) in Polished Brass, Antique Brass, Pewter or Rustic Bronze available in all sizes 33"/36"/39" (models DVLAP, DVLAA, DVLAS & DVLAR)
- Filigree Louver Replacement Kit in Gold, Pewter, Black or Rustic Bronze available in sizes 33"/36"/39" (models DVFKG, DVFKS, DVFKB & DVFKR)

Optional Trim Kits:

- Romanesque Face Kit is available in 36" in square and arched profile and in three finishes: Modern Pewter, Rustic Bronze and Ebony Black
- We've blended the strength of steel and the heritage of cast iron elements and created the Marquette Face Kit. Available in square and arched profile and in three finishes: Modern Pewter, Rustic Bronze and Ebony Black with all cast elements featured in Black Enamel
- 1 3/8" Regular Perimeter Trim Kit in Polished Brass, Antique Brass, Pewter or Rustic Bronze available in 33" (models DVRTKP, DVRTKA, DVRTKS & DVRTKR)
- 1 3/8" Adjustable Regular Perimeter Trim Kit in Polished Brass, Antique Brass, Pewter or Rustic Bronze available in sizes 36"/39" (models ADVRTKP, ADVRTKA, ADVRTKS & ADVRTKR)

- 2 3/8" Medium Perimeter Trim Kit in Polished Brass, Antique Brass, Pewter or Black available in 33" (models DVMTKP, DVMTKA, DVMTKS, DVMTKB)
- 2 3/8" Adjustable Medium Perimeter Trim Kit in Polished Brass, Antique Brass, Pewter or Black available in sizes 36"/39" (models ADVMTKP, ADVMTKA, ADVMTKS, ADVMTKB)
- Georgian Cast Iron Surround in Classic Black, Ebony Black enamel

Optional Screen Door Kit

- Arched Screen Door Face Kit in Gold, Pewter, Black or Rustic Bronze available in sizes 33"/36"/39" (models DVSDKG, DVSDKS, DVSDKB, DVSDKR)

Optional Accessories:

- Remote Control
- Thermostat
- Fan Kit
- Mantels and Cabinets

Introducing the BrickWORKS COLLECTION

Styled to look authentic, with a patina that gives every fireplace just the right flair and look. Optional on ExtremeView fireplaces.



Features & Benefits

- Authentic looking brick & mortar design 4 choice colors:
- Colonial Red Brick with light gray tone mortar – A traditional look and texture of reclaimed & weathered brick
- Sandstone Brick with light gray tone mortar – A traditional color and texture for fireplace brick
- Classic Black with black mortar – A monotone brick that is subtle, but stylishly enhances a gas fireplace interior
- Silver-Gray with dark gray tone mortar – A contemporary color for fireplace brick
- Dramatically enhances the look of your fireplace
- Allows you to customize your ExtremeView direct vent gas fireplace
- Dramatic backdrop to our glowing logs & dramatic, golden flames
- Easy to install

Features & Benefits

- Life-like, weathered round and split logs with textured bark, random charred areas and rugged flesh areas
- Radiant ceramic burner system paired with a front tube burner creates intense flames and rich glow in ember bed and front logs
- Curved steel grate and andirons
- Ceramic glass front for radiant heat
- Standard black top and bottom louvers
- Wall switch for simple on/off operation
- Enjoy the fire without all the heat -- new gas valve system allows manual turn-down of fire
- **Up to 80% on 33XDVRN model: 21,500 to 4,400 btu's**
- **Up to 80% on 36XDVRN model: 27,500 to 5,100 btu's**
- **Up to 80% on 39XDVRN model: 30,000 to 6,000 btu's**
- Turn down on **36XDVRFN** Comfort Control System valve is up to 20%
- Models available in natural gas with standing pilot or electronic ignition – LP conversion kit optional

Options:

- Optional BrickWorks Ceramic refractory brick lining in four colors
- Fan kit
- Remote control
- Wall thermostat



36XDV shown with Romanesque face kit in arched profile with rustic bronze finish



36XDV shown with pewter medium perimeter trim and pewter arched screen doors



36XDV shown with Marquette with Ebony Black finish



36XDV shown with rustic bronze louver accent trims and regular perimeter trim kit




36XDV shown with pewter louver accent trims




36XDV shown with Georgian cast iron surround and bay window kit

ExtremeView Direct Vent Gas Fireplaces

Models • 33XDV • 36XDV • 39XDV



FIREPLACE DIMENSIONS - XDV (REAR VENT)



FIREPLACE DIMENSIONS - XDV (TOP VENT)

Ref.	33XDV	36XDV	39 XDV
A	33"(838 mm)	36"(914 mm)	39"(991 mm)
B	28 7/8"(733 mm)	34 1/4"(870 mm)	34 1/4"(870 mm)
C	31 1/4"(794 mm)	34 1/4"(870 mm)	37 1/4"(946 mm)
D	18 3/8"(466 mm)	23"(584 mm)	23"(584 mm)
E	22 3/4"(578 mm)	24"(610 mm)	27"(686 mm)
F	14 3/8"(364 mm)	16 1/4"(413 mm)	16 1/4"(413 mm)
G	16 3/4"(426 mm)	18 3/4"(476 mm)	18 3/4"(476 mm)
H	19 3/16"(487 mm)	24 1/4"(616 mm)	24 1/4"(616 mm)
I	22 11/16"(576 mm)	28 1/8"(714 mm)	28 1/8"(714 mm)
J	4 5/8"(117 mm)	5 5/8"(143 mm)	5 5/8"(143 mm)
K	6 3/8"(160 mm)	8"(203 mm)	8"(203 mm)
L	8 7/8"(225 mm)	11 7/8"(302 mm)	11 7/8"(302 mm)
M	2"(51 mm)	2"(51 mm)	2"(51 mm)
N	3 3/8"(85 mm)	3 1/4"(82 mm)	3 1/4"(82 mm)
O	4 5/8"(117 mm)	6 3/4"(171 mm)	6 3/4"(171 mm)
P	6 3/8"(162 mm)	9 1/4"(235 mm)	9 1/4"(235 mm)
Q	-- --	-- --	-- --
R	-- --	-- --	-- --
Framing Dimensions			
S	36"(914 mm)	41 5/8"(1051 mm)	44"(1118 mm)
T	51"(1295 mm)	58 7/8"(1495 mm)	62 1/4"(1581 mm)
U	25 1/4"(641 mm)	29 7/8"(748 mm)	31 1/8"(790 mm)
V	33 1/2"(851 mm)	36 1/2"(927 mm)	39 1/2"(1003 mm)
W	31"(787 mm)	38 5/8"(980 mm)	38 5/8"(980 mm)
X	14 7/8"(378 mm)	3/4"(425 mm)	16 3/4"(425 mm)

Ref.	33XDV	36XDV	39 XDV
A	33"(838 mm)	36"(914 mm)	39"(991 mm)
B	28 7/8"(733 mm)	34 1/4"(870 mm)	34 1/4"(870 mm)
C	31 1/4"(794 mm)	34 1/4"(870 mm)	37 1/4"(946 mm)
D	18 3/8"(466 mm)	23"(584 mm)	23"(584 mm)
E	22 3/4"(578 mm)	24"(610 mm)	27"(686 mm)
F	14 3/8"(364 mm)	16 1/4"(413 mm)	16 1/4"(413 mm)
G	-- --	-- --	-- --
H	-- --	-- --	-- --
I	-- --	-- --	-- --
J	4 5/8"(117 mm)	5 5/8"(143 mm)	5 5/8"(143 mm)
K	6 3/8"(160 mm)	8"(203 mm)	8"(203 mm)
L	8 7/8"(225 mm)	11 7/8"(302 mm)	11 7/8"(302 mm)
M	2"(51 mm)	2"(51 mm)	2"(51 mm)
N	3 3/8"(85 mm)	3 1/4"(82 mm)	3 1/4"(82 mm)
O	4 5/8"(117 mm)	6 3/4"(171 mm)	6 3/4"(171 mm)
P	6 3/8"(162 mm)	9 1/4"(235 mm)	9 1/4"(235 mm)
Q	31 3/4"(806 mm)	37"(939 mm)	37"(939 mm)
R	6 5/32"(156 mm)	6 3/4"(170 mm)	6 3/4"(170 mm)
Framing Dimensions			
S	36"(914 mm)	39 3/4"(1010 mm)	43 1/8"(1095 mm)
T	51"(1295 mm)	55 1/4"(1403 mm)	60 7/8"(1546 mm)
U	25 1/4"(641 mm)	28 1/8"(714 mm)	30 7/8"(784 mm)
V	33 1/2"(851 mm)	36 1/2"(927 mm)	39 1/2"(1003 mm)
W	31"(787 mm)	38 5/8"(980 mm)	38 5/8"(980 mm)
X	14 7/8"(378 mm)	16 3/4"(425 mm)	16 3/4"(425 mm)

36/39 Units include 4" stand-offs on top. All units require 3/4" clearance to the front top.

Model	Fuel	Max Input	EFFICIENCIES		
			EnerGuide Rating	Steady State rating	AFUE By D.O.E. Rating
33XDVRN	Natural Gas	21,500 BTU	62.3%	80 %	65 %
33XDVEN	Natural Gas	21,500 BTU	68.8%	80 %	65 %
36XDVRN	Natural Gas	27,500 BTU	61.8 %	84 %	64 %
36XDVRP	Propane	27,500 BTU	61.8 %	85 %	64 %
36XDVRFN	Natural Gas	27,500 BTU	61.8 %	84 %	64 %
36XDVRFP	Propane	27,500 BTU	61.8 %	85 %	64 %
36XDVEN	Natural Gas	27,500 BTU	66.6 %	84 %	64 %
36XDVEP	Propane	27,500 BTU	66.6 %	85 %	64 %
39XDVRN	Natural Gas	31,000 BTU	61.6 %	81 %	64 %
39XDVRP	Propane	31,000 BTU	61.6 %	82 %	64 %
39XDVEN	Natural Gas	31,000 BTU	65.8 %	81 %	64 %
39XDVEP	Propane	31,000 BTU	65.8 %	82 %	64 %

ENERGUIDE

Look for the EnerGuide Gas Fireplace Energy Efficiency Rating in this brochure

Based on CSA P.4.1-02

CFM ph: 1.800.525.1898
www.vermontcastings.com
www.majesticproducts.com

YOUR DEALER

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>