

PGM304, PGM365 SGM304, SGM364, SGM365, SGM466


dacor
The life of the kitchen™

091605


**30", 36", 46" Wide,
Preference™ Gas Cooktops**

1/2

**PLANNING
GUIDE**



Models	"A" Cooktop Width	"B" Cooktop Cutout Width
30"	30" (762mm)	27 1/2" (699mm)
36"	36" (914mm)	33 3/4" (857mm)
46"	46" (1168mm)	44 1/2" (1130mm)



PGM304, PGM365 SGM304, SGM364, SGM365, SGM466


dacor
The life of the kitchen™

091605

**30", 36", 46" Wide,
Preference™ Gas Cooktops**

2/2

**PLANNING
GUIDE**



Models	"C" Min. Hood Width	"C" Recommended Hood Width
30"	30" (762mm)	36" (914mm)
36"	36" (914mm)	42" (1067mm)
46"	46" (1166mm)	54" (1372mm)

Model No.	Dedicated Circuit Required	Total Connected Load	Gas Supply Requirements	Approximate Shipping Weight
PGM304	120VAC, 60Hz, 15A (Breaker)	0.03kW (0.25A)	1/2" (13mm) Regulator - Natural Gas Standard	53 lbs.
SGM304				57 lbs.
SGM364			3/4" (19mm) Regulator - Natural Gas Standard	67 lbs.
PGM365				57 lbs.
SGM365			1/2" (13mm) Regulator - Natural Gas Standard	57 lbs.
SGM466				76 lbs.

NOTES:

1. Factory installed liquid propane (LP) special ordered.
2. Cooktop is supplied with a 48" (1219mm) power cord, with a three prong grounded plug.
3. Utilities are located in the right rear corner of the cooktop.
4. See the Combination Installation (CI) Section if installing with a downdraft, wall oven, or warming oven.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>