

*Thinking of you*

 **Electrolux**



**AIR CLEANER / PURIFICATEUR D'AIR / PURIFICADOR DE AIRE**

Models ELAP15, ELAP30, ELAP40, ELAP45

USA & Canada 1-800-896-9756

EN • FR • SP

900523673 - UM (Jan. 2014) Printed in China

Register via the internet at: [www.electroluxappliances.com/Owner-Support/Product-Registration](http://www.electroluxappliances.com/Owner-Support/Product-Registration)

## Contents

Important safeguards . . . . .	2-3	Remote control . . . . .	12
Air cleaner components . . . . .	4	Replacement parts . . . . .	12
Features . . . . .	5-6	Trouble shooting . . . . .	13
Control panel . . . . .	6	Warranty information . . . . .	14
Set-up . . . . .	7-9	French user's manual . . . . .	15-27
Filter replacement . . . . .	10-11	Spanish user's manual . . . . .	28-40
Care and maintenance . . . . .	11		

## IMPORTANT SAFEGUARDS

**When using electrical appliances, basic safety precautions should always be followed, including the following:**

1. Read all instructions.
2. Do not use this appliance for other than its intended use.
3. Close supervision is necessary when any appliance is used by or near children, or by others who may need supervision.
4. To protect against electric shock, do not place cord, plugs, or appliance in water or other liquid.
5. Do not use outdoors or on wet surfaces.
6. Do not use in humid places such as bathrooms. If liquid enters the air cleaner, turn it off and have it inspected by an authorized Electrolux service center.
7. Do not use near flammable gases.
8. Do not place directly beneath a smoke detector, as this could reduce the smoke detector's sensitivity.
9. Connect to a power supply only as directed on the rating plate.
10. Do not operate any appliance with a damaged cord or plug. If the appliance malfunctions, or has been damaged in any manner, return the appliance to the nearest authorized service center for inspection, repair, or adjustment.
11. Do not pull or carry this equipment by its cord. Do not use cord as a handle, close a door on cord, or pull cord around sharp edges or corners. Do not let cord hang over the edge of a counter or table where it can be pulled on by children or tripped over unintentionally.
12. Do not place the air cleaner near a heater.
13. Keep cord away from heated surfaces.
14. Do not put any object into openings. Do not use with any opening blocked; keep free of dust, lint, hair and anything that may reduce airflow.
15. Do not put objects on top of or inside of unit, and do not block the grills.
16. Do not use without filters in place.
17. Do not unplug the power cord before air cleaner has cooled down.
18. Unplug from outlet when not in use and before cleaning.

## IMPORTANT SAFEGUARDS

19. Do not use detergent to clean the unit.
20. Do not wash and reuse the HEPA filter or the High Deodorization Anti-Odor Carbon Filter (ELAP40) or the Carbon Pre-Filter (ELAP15 and ELAP30). These filters are non-washable.
21. Hold the handle on the back of the unit to transport. Do not hold by the front panel.

### **Polarized plug**

This appliance has a polarized plug (one blade is wider than the other). To reduce the risk of electric shock, this plug will fit in a polarized outlet only one way. If the plug does not fit fully into the outlet, reverse the plug and reinsert. If it still does not fit, contact a qualified electrician. Do not modify the plug in any way.

### **CAUTION**

**Short cord instructions:** Your appliance is fitted with a short power supply cord as a safety precaution to prevent personal injury or property damage resulting from pulling, tripping or becoming entangled with a longer cord. Do not allow children to use or be near this appliance without close adult supervision. If an extension cord is used, (1) the marked electrical rating of the cord set or extension cord should be at least as great as the electrical rating of the appliance, and (2) the cord should be arranged so that it will not drape over the countertop or tabletop where it can be pulled on by children or tripped over.

### **WARNING**

**Electrical power:** If the electric circuit is overloaded with other appliances, your appliance may not operate properly. It should be operated on a separate electric circuit from other appliances.

## SAVE THESE INSTRUCTIONS

### Consumer Safety Information

**THIS UNIT IS FOR HOUSEHOLD USE ONLY**


#### **PRODUCT SPECIFICATIONS**

Model numbers .....	ELAP15D7PW, ELAP30D7PW, ELAP40D8PW, ELAP45D8PW
Power supply .....	.120V 60Hz
Motor .....	ELAP15D7PW: BLDC Motor, max power 40W ELAP30D7PW: BLDC Motor, max power 60W ELAP40D8PW: BLDC Motor, max power 110W ELAP45D8PW: BLDC Motor, max power 110W
Dimensions .....	ELAP15D7PW: 19" H x 14" W x 9" D ELAP30D7PW: 19" H x 16" W x 10" D ELAP40D8PW: 22" H x 19" W x 12" D ELAP45D8PW: 22" H x 19" W x 12" D

**Electrolux Customer Service 1-800-896-9756**


## AIR CLEANER COMPONENTS

### ELAP15




- A. Front panel
- B. Filter frame
- C. Carbon Pre-Filter  
(treated with anti-bacterial coating Cleancel®)
- D. HEPA filter
- E. Main body
- F. PlasmaWave® fan
- G. Air Outlet
- H. Control Panel

### ELAP40




- A. Front panel
- B. High Deodorization Anti-Odor Carbon Filter  
(treated with anti-bacterial coating Cleancel®)
- C. HEPA filter
- D. Main body
- E. PlasmaWave® fan
- F. Air outlet
- G. Control panel

### ELAP30



- A. Front panel
- B. Filter frame
- C. Carbon Pre-Filter  
(treated with anti-bacterial coating Cleancel®)
- D. HEPA filter
- E. Main body
- F. PlasmaWave® fan
- G. Air outlet
- H. Control panel

### ELAP45



- A. Front panel
- B. Filter Cassette consists of the following:
  - B1. Washable Cleancel® Pre-Filter  
(treated with anti-bacterial coating Cleancel®)
  - B2. Washable HEPA filter set
  - B3. Filter frame
  - B4. Washable Anti-Odor Carbon Filter
- D. Main body
- E. PlasmaWave® fan
- F. Air outlet
- G. Control panel

## AIR CLEANER FEATURES

### ELAP15, ELAP30, ELAP40, ELAP45

**CAUTION:** Fully assemble air filter before using (See air cleaner set-up)

*Note: Features vary according to model.*

#### Quiet operation

With a four-speed fan with quiet operation that is ideal for nighttime.

#### Air quality sensor

Built with an air quality sensor that detects the presence of various pollutants in the air.

#### Light sensor

The built-in light sensor detects when the room is dark and automatically dims the lights of the control panel and lowers the fan speed for quiet and energy-efficient operation. **Once the room is dim, the fan does not increase speed despite what the air quality sensor detects.**

#### Automatic air cleaning (AUTO mode)

The air quality sensor detects the amount of impurities in the air and automatically adjusts the fan speed accordingly to keep your air purified.

#### ELAP15, ELAP30, ELAP40 – 4 stage filtration

The Carbon Pre-Filter (High Deodorization Anti-Odor Carbon Filter for ELAP40) absorbs gases and odors such as those generated by cigarette smoke, pets, ammonia or cooking. For best performance, replace every 3 months (every 12 months for High Deodorization Anti-Odor Carbon Filter). The Cleancel® anti-microbial coating prevents the growth of micro organisms.

The HEPA filter captures 99.9% of particles and impurities as small as 0.3 microns, including smoke, dust, pollen, and other allergens. Replace when the CHECK FILTER indicator light turns on. PlasmaWave® Technology uses positive and negative ions to clean the air of harmful pollutants breaking them down and converting them to naturally occurring oxygen and hydrogen.

#### ELAP45 – 5 stage filtration

The first stage of filtration consists of a pre-filter coated with Cleancel®. The Cleancel® anti-microbial coating prevents the growth of micro organisms. The activated Anti-Odor Carbon Filter specializes in absorbing odors such as those caused by cigarettes, pets, and cooking. The Anti-Odor Carbon Filter will also trap gases such as ammonia and formaldehyde. The HEPA filter set captures 99.9% of particles and impurities as small as 0.3 microns, including smoke, dust, pollen, and other allergens. PlasmaWave® Technology uses positive and negative ions to clean the air of harmful pollutants breaking them down and converting them to naturally occurring oxygen and hydrogen.

The Cleancel® Pre-Filter set, HEPA filter and Anti-Odor Carbon Filter are washable.

## CONTROL PANEL

### ELAP15, ELAP30, ELAP40, ELAP45



- I. **Air Quality Sensor:** Automatically monitors the air quality level and adjusts fan speed accordingly when in “AUTO.”
- J. **Reset:** Resets the “Check Filter” indicator light.
- K. **Check Filter Indicator:** Signals when to replace filters.
- L. **Auto:** Automatically adjusts the fan speed according to the amount of impurities.
- M. **PlasmaWave®:** Shows that the technology is active.
- N. **Air Quality Indicator:** Lights indicate the quality of the air.
- O. **Fan Speed Indicator:** Shows current fan speed setting (Turbo / High / Low / Quiet).
- P. **Fan Speed Selector:** Adjusts fan speed setting (Turbo / High / Low / Quiet).
- Q. **On-Off:** Turns the unit “On” and “Off.”
- R. **Light Sensor:** Dims the control panel lights and sets the fan speed to “Quiet” when the room is dark (only works when in “AUTO”).

## AIR CLEANER SET-UP

### ELAP15, ELAP30

Place the unit away from drafty areas, as the sensors may not react accurately. Do not place near curtains, furniture, or other items that might inhibit air flow. Place the unit on a stable surface.



1. Remove protective film from the control panel.



2. Remove the front panel by pulling gently from the top portion of the panel.



3. Remove the HEPA filter and the Carbon Pre-Filter from the plastic wrapper.



4. Install the HEPA filter with the arrow showing "air flow" pointing in toward the back of the air cleaner; the white tabs at the top and bottom of the HEPA filter will point out to the front of the unit.



5. Install the Carbon Pre-Filter in front of the HEPA filter.



6. Replace the front panel by hooking the panel on the bottom of the unit.

7. Plug the power cord into a wall outlet.

8. Press and hold the POWER button until a short "beep" sounds.

9. The air cleaner will take 3-4 minutes to calibrate the air quality sensor. During this time the sensor lights will flash on and off. Once the sensor has calibrated, the lights will be on "AUTO" mode.

## AIR CLEANER SET-UP

### ELAP40

Place the unit away from drafty areas, as the sensors may not react accurately. Do not place near curtains, furniture, or other items that might inhibit air flow. Place the unit on a stable surface.



1. Remove protective film from the control panel.



2. Remove the front panel by pulling gently from the top portion of the panel.



3. Remove the HEPA filter and the High Deodorization Anti-Odor Carbon Filter from the plastic wrapper.



4. Install the HEPA filter with the arrow showing “air flow” pointing in toward the back of the air cleaner; the white tabs at the top and bottom of the HEPA filter will point out to the front of the unit.



5. Install the High Deodorization Anti-Odor Carbon Filter in front of the HEPA filter.



6. Replace the front panel by hooking the panel on the bottom of the unit.

7. Plug the power cord into a wall outlet.

8. Press and hold the POWER button until a short “beep” sounds.

9. The air cleaner will take 3-4 minutes to calibrate the air quality sensor. During this time the sensor lights will flash on and off. Once the sensor has calibrated, the lights will be on “AUTO” mode.



## AIR CLEANER SET-UP

### ELAP45

Place the unit away from drafty areas, as the sensors may not react accurately. Do not place near curtains, furniture, or other items that might inhibit air flow. Place the unit on a stable surface.



1. Remove protective film from the control panel.



2. Remove the front panel by pulling gently from the top portion of the panel.



3. Remove the Filter Cassette and remove the plastic wrapper from it.



4. Install the Filter Cassette by gently sliding the entire cassette into the air cleaner. It should fit perfectly.



5. Replace the front panel by hooking the panel on the bottom of the unit.

6. Plug the power cord into a wall outlet.

7. Press and hold the POWER button until a short “beep” sounds.

8. The air cleaner will take 3-4 minutes to calibrate the air quality sensor. During this time the sensor lights will flash on and off. Once the sensor has calibrated, the lights will be on “AUTO” mode.

## FILTER REPLACEMENT


### ELAP15, ELAP30

There are two separate filters:

**Carbon Pre-Filter** and **HEPA filter**.

- The Check Filter indicator will signal when to replace the HEPA filter. The replacement period will vary depending on the hours of usage, air quality, and location of the unit. However, in most cases of normal use, the filter will need to be replaced annually.
- For best performance, change the Carbon Pre-Filter every three months.

The filters should be disposed off when changed. Do not wash and reuse the HEPA filter or the Carbon Pre-Filter as they will not work effectively.

 **CAUTION: Turn off the air cleaner and unplug the electrical cord before performing any maintenance.**

#### Carbon Pre-Filter replacement


1. Turn off the air cleaner and unplug the electrical cord.
2. Remove the front panel by pulling gently from the lower portion of the panel. Do not force, the panel should remove easily.
3. Remove the Carbon Pre-Filter by gently pulling out from the bottom and down from the top.
4. Remove the Carbon Pre-Filter and dispose of it.
5. Remove a replacement Carbon Pre-Filter from the resealable plastic bag and reseal to maintain the freshness of the remaining filter.
6. Install the Carbon Pre-Filter.

### ELAP40

There are two separate filters:

**High Deodorization Anti-Odor Carbon Filter** and **HEPA filter**.

- The Check Filter indicator will signal when to replace the HEPA filter. The replacement period will vary depending on the hours of usage, air quality, and location of the unit. However, in most cases of normal use, the filter will need to be replaced annually.
- For best performance, change the High Deodorization Anti-Odor Carbon Filter every 12 months. The filters should be disposed off when changed. Do not wash and reuse the HEPA filter or the High Deodorization Anti-Odor Carbon Filter as they will not work effectively.

 **CAUTION: Turn off the air cleaner and unplug the electrical cord before performing any maintenance.**

#### High Deodorization Anti-Odor Carbon Filter replacement

1. Turn off the air cleaner and unplug the electrical cord.
2. Remove the front panel by pulling gently from the lower portion of the panel. Do not force, the panel should remove easily.
3. Remove the High Deodorization Anti-Odor Carbon Filter by gently pulling out from the bottom and down from the top.
4. Remove the High Deodorization Anti-Odor Carbon Filter and dispose of it.
5. Remove a replacement High Deodorization Anti-Odor Carbon Filter from its plastic bag.
6. Install the High Deodorization Anti-Odor Carbon Filter.

## FILTER REPLACEMENT

### ELAP45

**⚠ CAUTION: Turn off the air cleaner and unplug the electrical cord before performing any maintenance.**

Filter	Service life	Cleaning Cycle	How to clean
Washable Cleancel® Pre-Filter	12 months	Every 3 months	Clean with vacuum cleaner or soft brush. Use warm water when the filter is very dirty.
Washable HEPA Filter set	12 months	Every 3 months	Soak the filter into warm water for 30 minutes and dry it in the shade for 24 hours.
Washable Anti-Odor Carbon Filter	12 months	Every 3 months	Soak the filter in warm water for 30 minutes and dry it in the shade for 24 hours.
Filter Cassette	12 months	–	–

The Check Filter indicator will signal when to replace the Filter Cassette. The replacement period will vary depending on the hours of usage, air quality, and location of the unit. However, in most cases of normal use the filter will need to be replaced annually. This Filter Cassette should be disposed of when changed.

### Filter Cassette replacement

1. Turn off the air cleaner and unplug the electrical cord.
2. Remove the front panel by pulling gently from the top portion of the panel.
3. Remove the Filter Cassette by gently pulling out from the bottom and down from the top.
4. Remove all the filters from the plastic frame and dispose of the filters only. Keep the frame.

5. Remove the replacement filters from the plastic bag and replace them.
6. Replace the front panel by hooking the panel on the bottom of the unit.
7. Plug in air cleaner and press POWER button until short “beep” sounds.

8. Press the RESET FILTER button by gently inserting a paperclip into the



RESET FILTER hole on the control panel. The light will flash 5 times before a “beep” sounds to indicate the filter has been reset.

## CARE AND MAINTENANCE

### ELAP15, ELAP30, ELAP40, ELAP45

**⚠ CAUTION: Turn off the air cleaner and unplug the electrical cord before performing any maintenance.**

- Clean unit as necessary by wiping with a dry, soft cloth; for stubborn stains, use a warm, damp cloth.
- Do not use volatile fluids such as benzene, paint thinner or scouring powder, as they may damage the surface. Keep the unit dry.
- Lightly vacuum air quality sensor every three months.

## REMOTE CONTROL


### ELAP30, ELAP40, ELAP45

Operate the remote control facing the air cleaner. Operate within 18 feet / 6 metres of the air cleaner. The remote control has a separate wall-mountable storage cradle that can be conveniently attached to any wall using a screw.

**S. POWER:** Use the power button to turn the power on and off. A short “beep” will sound when the unit turns on and off.

**T. AUTO mode:** Use the AUTO button to put air cleaner in AUTO mode.

**U. FAN SPEED:** By pressing up or down, the unit will change fan speeds and enter into manual mode.



**V. TURBO:** Use this button to switch from automatic operation and start the maximum amount of room air cleaning and air movement. It will remain in Turbo speed until changed into Auto or manual mode.

#### Battery replacement

1. Squeeze tabs of battery cover and at the same time pull cover out of remote.

2. Insert battery as shown and close battery cover.

3. Always use 3V lithium battery CR2025. Incorrect battery usage may cause battery fluid leakage and/or damage.

Electrolux replacement parts	Fits models	Part number
1 HEPA Filter and 4 Carbon Pre-Filters	ELAP15	EL041
1 Filter Frame	ELAP15	68691
1 HEPA Filter and 4 Carbon Pre-Filters	ELAP30	EL042
1 Filter Frame	ELAP30	68692
1 HEPA Filter and 1 High Deodorization Anti-Odor Carbon Filter	ELAP40, ELAP45	EL043
1 Washable HEPA Filter Set, 1 Washable Anti-Odor Carbon Filter and 1 Cleancel® Pre-Filter	ELAP40, ELAP45	EL044
1 Filter Frame	ELAP40, ELAP45	68694

To order replacement parts, visit us online at [www.electrolux.com](http://www.electrolux.com) or call 1-800-896-9756.

## DISPOSAL



Recycle the materials with the recycle symbol. Put the packaging in applicable containers to recycle it. Help protect the environment and human health and to recycle waste of electrical and electronic appliances.



Do not dispose appliances marked with this symbol with household waste. Return the product to your local recycling facility or contact your municipal office.

## TROUBLE SHOOTING

### ELAP15, ELAP30, ELAP40, ELAP45

Occurrence	Possible causes / solution
Can I wash my filter?	No, the filters that come with the unit will be ruined by water. Replace with new washable filter. <b>(ELAP45 filters are washable.)</b>
Can I vacuum my filter?	No, vacuuming will spread the dust back into the air. Replace with new filter. <b>(ELAP45 Washable Pre-Filter can be cleaned with a vacuum cleaner or soft brush.)</b>
There is an odor coming from my new unit.	The unit has been concealed in a tightly wrapped package of corrugated cardboard and plastic. It may give off an odor; this should wear off in several days.
Will this clean a bigger area than what it is rated for?	CADR ratings are provided from a controlled testing environment, if that environment changes, it can affect the performance. If you have a slightly larger room than what the CADR rating is, it will help improve the air, but take longer.
Where should I place the unit?	<b>Allow proper air circulation around the sides and in front of the unit.</b> If there are doors or hallways it may reduce the airflow.
The <b>AIR QUALITY</b> light is orange or red, but the air seems clean.	<ul style="list-style-type: none"> <li>• Clear the sensor with a vacuum cleaner, as it may be blocked or clogged.</li> <li>• Sometimes a can of compressed air may unclog the dust in the sensor.</li> </ul>
You can see dust in the air or on my furniture.	The unit will capture most dust and particles, however with opening doors, windows, central HVAC etc., there may still be some level of dust that you can see.
There is nothing holding the filters in place.	The filters are meant to rest inside the unit. Once the unit is turned on, the force of air pulled through the machine will create a tight seal of the filters.
I can hear revving of the fan motor.	This is normal, especially at night when all environmental sounds are quiet, you may hear the motor running in repetition.
The unit has stopped removing odors effectively, or is emitting an odor.	<ul style="list-style-type: none"> <li>• Make sure the air quality sensor is not blocked or clogged.</li> <li>• Move the unit closer to the offending odors.</li> <li>• Replace filters more frequently. They may have reached their capacity to absorb pollutants.</li> </ul>
The <b>CHECK FILTER</b> indicator remains lit after replacing the HEPA filter.	Press the <b>RESET FILTER</b> button by gently inserting a paper-clip into the <b>RESET FILTER</b> button hole. Hold for 3-5 seconds until a "beep" sounds to indicate the unit has been reset.
Can I turn off the sleep mode?	No, but you can manually push to the fan speed you prefer which will stay at that speed until you change it.
Unit makes a ticking sound.	This is due to PlasmaWave® technology, it may come and go, but as long as the PlasmaWave® light is on, the function is working.
The remote control does not work.	<ul style="list-style-type: none"> <li>• Make sure the remote control battery is inserted correctly.</li> <li>• Replace a worn-out battery.</li> <li>• Make sure that the remote control has a clear line of sight to the air cleaner.</li> </ul>
The air quality light is white, but there is still dust/odor.	<ul style="list-style-type: none"> <li>• Make sure the sensor is not blocked or clogged.</li> <li>• Replace the filter.</li> </ul>
The unit is running on high all the time.	<ul style="list-style-type: none"> <li>• Clear the sensor with a vacuum cleaner, as it may be blocked or clogged.</li> <li>• Sometimes a can of compressed air may unclog the dust in the sensor.</li> </ul>
The <b>CHECK FILTER</b> indicator remains lit after replacing the Filter Cassette.	Press the <b>RESET FILTER</b> button by gently inserting a paper-clip into the <b>RESET FILTER</b> button hole. Hold for 3-5 seconds until a "beep" sounds to indicate the unit has been reset.

## SMALL DOMESTIC APPLIANCE WARRANTY

Your appliance is covered by a **one year limited warranty**. For one year from your original date of purchase, Electrolux will repair or replace the appliance or parts, at Electrolux's option, that prove to be defective in materials or workmanship when the appliance is installed, used, and maintained in accordance with the provided instructions. Labor and all costs associated with returning the appliance or parts to us and our returning the appliance or parts to you are excluded under this warranty. As a matter of warranty policy, Electrolux will not refund the consumer's purchase price. If a product or part under warranty is no longer available, Electrolux will replace with a comparable product of equal or greater value.

### Exclusions: This warranty does not cover the following:

- 1 Products with original serial numbers that have been removed, altered or cannot be readily determined.
- 2 Products that have been transferred from the original owner to another party or removed outside the USA or Canada.
- 3 Rust on the interior or exterior of the unit.
- 4 Products purchased "as-is".
- 5 Food loss due to product failure.
- 6 Products used in a commercial setting or anything but single family household use.
- 7 Labor or service visits under any circumstance.
- 8 Glass parts or containers, filters, non-stick surfaces.
- 9 Ordinary wear and tear.
- 10 Damages caused by improper use, installation, or service; use of parts other than genuine Electrolux parts; negligence; abuse; misuse; inadequate or excessive power supply; accidents; fires; or acts of God.

Keep your receipt or some other appropriate payment record to establish the warranty period. Should warranty service be required, you must show proof of purchase.

### If you need service:

To obtain warranty service in the USA or Canada, call 1-800-896-9756. Please have the model number, serial number, and date of purchase information available.

### DISCLAIMER OF IMPLIED WARRANTIES; LIMITATION OF REMEDIES:

CUSTOMER'S SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY SHALL BE, AT ELECTROLUX'S SOLE DISCRETION, PRODUCT OR PART REPAIR OR REPLACEMENT AS PROVIDED HEREIN. CLAIMS BASED ON IMPLIED WARRANTIES, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED TO ONE YEAR OR THE SHORTEST PERIOD ALLOWED BY LAW. ELECTROLUX SHALL NOT BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES SUCH AS PROPERTY DAMAGE AND INCIDENTAL EXPENSES RESULTING FROM ANY BREACH OF THIS WRITTEN LIMITED WARRANTY OR ANY IMPLIED WARRANTY. SOME STATES AND PROVINCES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, OR LIMITATIONS ON THE DURATION OF IMPLIED WARRANTIES, SO THESE LIMITATIONS OR EXCLUSIONS MAY NOT APPLY TO YOU. THIS WRITTEN WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS. YOU MAY ALSO HAVE OTHER RIGHTS THAT VARY FROM STATE TO STATE.

This warranty only applies to products purchased in the USA and CANADA. In the USA, your appliance is warranted by Electrolux Home Care Products, Inc. In Canada, your appliance is warranted by Electrolux Home Care Products Canada Inc. Electrolux authorizes no person to change or add to any obligations under this warranty. Product features or specifications as described or illustrated are subject to change without notice.

#### USA

1-800-896-9756  
Electrolux Home Care Products, Inc.  
10200 David Taylor Drive  
Charlotte, NC 28262

#### CANADA

1-800-896-9756  
Electrolux Home Care Products Canada Inc.  
5855 Terry Fox Way  
Mississauga, ON, Canada L5V 3E4

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>