

2/ 4/ 8 Port VGA Video Splitter - Wall Mountable

ST122W / ST124W / ST128W

DE: Bedienungsanleitung - de.startech.com
FR: Guide de l'utilisateur - fr.startech.com
ES: Guía del usuario - es.startech.com
IT: Guida per l'uso - it.startech.com
NL: Gebruiksaanwijzing - nl.startech.com
PT: Guia do usuário - pt.startech.com

Features

- Max. supported resolutions up to 1600 x 1200
- Cascadable up to 3 levels
- Supports transmission distances up to 65m /200'

System Requirements

- A computer with a VGA Card installed
- DE-15 VGA male/female video cable
- DE-15 VGA male/male video cable(s)


Installation

In a Single Unit Installation, only one video splitter is used, in turn limiting the number of displays to which the split signal can be broadcast; a Cascaded configuration on the other hand, utilizes multiple splitters connected to one another to providing numerous additional video connections (i.e. ST122W can be cascaded to provide up to 8 video outputs, ST124W up to 64 and ST128W up to 512).

Single Unit Installation


1. With the video source computer powered down, use a high density DE-15 male/female VGA cable to connect the computer Video Out port to the Video IN port on the splitter.
2. Using a high density DE-15 male/male VGA cable for each connection, connect the monitors to the Video OUT ports provided by the splitter.
3. Connect the Power Port on the video splitter to an available power outlet, using the provided adapter.
4. Power up the source computer and newly connected monitors.

Top View (ST124W shown)



*actual product may vary from photos

Rear View (ST124W shown)



Cascaded Installation

To cascade multiple splitters, use a high density DE-15 male/female VGA cable to connect any available Video OUT port on the "higher level" video splitter to the Video IN port of the lower level video splitter. You can cascade as many video splitters as there are ports available, however the signal will deteriorate as distance between the monitor and source increases.

Please see reverse for a diagram depicting a cascaded configuration.

Specifications

		ST122W	ST124W	ST128W
Number of Ports		2	4	8
Connectors	Video In	1 x DE-15 VGA male		
	Video Out	2 x DE-15 VGA female	4 x DE-15 VGA female	8 x DE-15 VGA female
	Power	1 x DC Jack		
LEDs	Power	1		
Video Bandwidth		250MHz		200MHz
Resolution		1920 x 1440 @75Hz		1600 x 1200 @ 60Hz
Signal Range		Up to 65m (210')		
Power Consumption		DC9V, 1.35W (Max.)	DC9V, 2.25W (Max.)	DC9V, 2.5W (Max.)
Environment	Operating Temperature	0°C ~ 50°C		
	Storage Temperature	-20°C ~ 60°C		
	Humidity	0% ~ 80% RH, Non-condensing		
Physical Properties	Weight	140g	150g	220g
	Dimensions	11.45 x 8.75 x 3.33cm (L x W x H)		15.59 x 9.79 x 3.33cm

FCC Compliance Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

Use of Trademarks, Registered Trademarks, and other Protected Names & Symbols

This manual may make reference to trademarks, registered trademarks, and other protected names and/or symbols of third-party companies not related in any way to StarTech.com. Where they occur these references are for illustrative purposes only and do not represent an endorsement of a product or service by StarTech.com, or an endorsement of the product(s) to which this manual applies by the third-party company in question. Regardless of any direct acknowledgement elsewhere in the body of this document, StarTech.com hereby acknowledges that all trademarks, registered trademarks, service marks, and other protected names and/or symbols contained in this manual and related documents are the property of their respective holders.

Technical Support

StarTech.com's lifetime technical support is an integral part of our commitment to provide industry-leading solutions. If you ever need help with your product, visit www.startech.com/support and access our comprehensive selection of online tools, documentation, and downloads.

Warranty Information

This product is backed by a two year warranty.

In addition, StarTech.com warrants its products against defects in materials and workmanship for the periods noted, following the initial date of purchase. During this period, the products may be returned for repair, or replacement with equivalent products at our discretion. The warranty covers parts and labor costs only. StarTech.com does not warrant its products from defects or damages arising from misuse, abuse, alteration, or normal wear and tear.

Limitation of Liability

In no event shall the liability of StarTech.com Ltd. and StarTech.com USA LLP (or their officers, directors, employees or agents) for any damages (whether direct or indirect, special, punitive, incidental, consequential, or otherwise), loss of profits, loss of business, or any pecuniary loss, arising out of or related to the use of the product exceed the actual price paid for the product. Some states do not allow the exclusion or limitation of incidental or consequential damages. If such laws apply, the limitations or exclusions contained in this statement may not apply to you.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>